

OUTPATIENT PROVIDER ORDERS: Non-Hospitalized Treatment Infusion Order**OSTEOPOROSIS MEDICATIONS****COMPLETE AND FAX ORDER TO (802) 440-8205****For non SVMC Practices, provide and fax the following:**

- ☐ Clinical visit note
- ☐ Patient demographics, including insurance information
- ☐ Diagnostic labs Reclast- Creatinine Clearance, Serum Corrected Calcium
- ☐ Diagnostic labs Prolia- Serum Corrected Calcium, Vit D, Mg

FORM MUST BE COMPLETE AND SIGNED BY THE PROVIDER

| | | | |
|---------------------------------------|--|--------------|--|
| Patient Name: | | Phone: | |
| DOB: | | Weight (kg): | |
| Diagnosis: | | Allergies: | |
| Admit Status: Medical Ambulatory Care | | | |

- ☐ This is a recurring order. Any change in patient status requires a new order
- ☐ Start Date: _____ Stop Date: _____ (Not to exceed 6 months)
- ☐ Procure Medication from SVMC
- ☐ Procure Medication from Specialty Pharmacy
- ☐

| 2. Osteoporosis | Drug | Dose | Route | Frequency | # Doses |
|-----------------|---|---|-------|---------------|---------|
| | Evenity (romosozumab-aqqg) inj. [must complete lab orders on page] | 210 mg/2.34 ml (105 mg/1.17 mLx2) 2 separate injections to be administered, one after the other in the abdomen, thigh, or upper arm. | SC | Q 1 month | 12 |
| | Prolia (denosumab) inj. Patient has no dental infections or recent dental surgeries (root canals, extractions, etc) | 60 mg/mL | SC | X1 Q 6 months | 1 |

OUTPATIENT PROVIDER ORDERS: Non-Hospitalized Treatment Infusion Order

| | | | | | |
|---|------------------------------------|-------------|----------------|------------------|---|
| <input type="checkbox"/> Only order if the Creatinine clearance is greater than or equal to 35ml/min AND Corrected serum calcium is WNL | Reclast (zelodronic acid) infusion | 5 mg/100 mL | IV over 20 min | X1 yearly | 1 |
| | Tylenol (acetaminophen) | 650 mg | PO | X1 post infusion | |
| | | | | | |

| | |
|--|---|
| | <i>Pre Medications</i> |
| | <i>diphenhydrAMINE (Benadryl) 25 milligram orally 30 minutes prior to the infusion x1 dose</i> |
| | <i>acetaminophen (Tylenol) 650 milligram orally 30 minutes prior to the infusion x1 dose</i> |
| | <i>acetaminophen (Tylenol) 1000 milligram orally 30 minutes prior to the infusion x1 dose</i> |
| | <i>loratadine (Claritin) 10 milligram orally 30 minutes prior to the infusion x 1 dose</i> |
| | <i>methylPREDNISolone (Solumedrol) _____ mg intravenously 30 minutes prior to the infusion x 1 dose</i> |
| | <i>EMLA Cream 1 application topically 30 minutes prior to the infusion x1 dose</i> |
| | |

| | |
|--|---|
| | Contingency Medications (PRN) |
| | acetaminophen (Tylenol) 1,000 milligram orally as needed x 1 dose for fever |
| | diphenhydrAMINE (Benadryl) 25 milligram orally as needed for signs and symptoms of allergic reaction |
| | loratadine (Claritin) 10 milligram orally as needed x1 dose for signs of allergic reaction |
| | solumedrol _____ milligram intravenously as needed x1 dose for signs of allergic reaction |
| | Cathflo [Alteplase] 1 ML intravenously as needed instill one dose for restoration of central venous access device, may repeat x1 after 2 hours. |
| | |

| | |
|--|--|
| | IV Bolus Fluids |
| | Normal Saline 250 ml bolus at 999 ml/hr prn for hypotension (SBP less than or equal to 95 mmHg or symptomatic) |

OUTPATIENT PROVIDER ORDERS: Non-Hospitalized Treatment Infusion Order**MONITORING**

- ☒ Access Port-a-cath or PICC if applicable.
- ☒ Insert peripheral line if needed.
- ☒ Flush central lines with saline per protocol
- ☒ Obtain vital signs prior to administration
- ☒ Monitor vital signs per delivery of care policy for medical ambulatory and infusion services.
- ☐ If signs and symptoms of a clinically significant hypersensitivity reaction or anaphylaxis occur, immediately discontinue administration and initiate appropriate medications and/or supportive therapy per protocol.

Labs

- ☐ CBC + Platelets (NO Diff) - Frequency: _____
- ☐ CBC + Platelets + Diff (Elec) - Frequency: _____
- ☐ Comp Metabolic Panel - Frequency: _____
- ☐ ESR Sedimentation Rate - Frequency: _____
- ☐ CRP Quant, Non-Cardiac - Frequency: _____

Other Labs: _____

Additional Orders

- ___ Diet as tolerated.
- ___ Recast: Drink at least 16 ounces of water prior to infusion
- ___ Code status Full Code ___ Other: _____
- ___ Activity as tolerated ___ Other: _____

___ Discharge to home after medication administration with appropriate discharge instructions.

Provider Signature: _____ Date: _____ Time: _____

Printed Name: _____

Provider Fax: _____ Provider Telephone: _____

Number of Pages: _____ Provider Email: _____

Comments: _____

Patient Name: _____

DOB: _____

Insurance(s): _____

Date Order Initiated _____

| Infusion Order Checklist | | | | Office Check Date & Initials | MIC Check Date & Initials |
|------------------------------|--|--|--|---------------------------------|------------------------------|
| CPT Code | | Medication supply | | | |
| Diagnosis Code | | <input type="checkbox"/> Buy & Bill | | | |
| Medication Name | | <input type="checkbox"/> Patient Supplied | | | |
| | | | | | |
| Authorization Required? | Primary Authorization | # | | | |
| <input type="checkbox"/> Yes | Secondary Authorization | # | | | |
| <input type="checkbox"/> No | Insurance Ref | # | | | |
| | Medical Necessity passed? (Medicare only) | <input type="checkbox"/> Yes <input type="checkbox"/> No | | | |
| | | | | | |
| Authorized Order Details | | Appointment Dates | | | |
| Start /End Date: | | | | | |
| Medication Dose | | | | | |
| # Doses | | | | | |
| # Visits | | | | | |
| Infusion frequency | Weeks / months | | | | |
| | | | | | |
| Active Staff Provider? | <input type="checkbox"/> Yes | | | | |
| | <input type="checkbox"/> No | | | | |
| | <input type="checkbox"/> N/A | | | | |

****No Booking Reservation until Checklist is complete.**

FAX this sheet with Order, Prior Authorization, and other required documents**

Office Staff Initials/Name: _____

Date: _____

MIC Staff Initials/Name: _____

Date: _____

DAY OF PROCEDURE

Insurance Eligibility Check Scheduled Insurance is the Same:

Staff Initials: _____

Eligibility Check through OneSource:

Staff Initials: _____



Southwestern Vermont
Medical Center
Medical Infusion Center
100 Hospital Drive | Bennington, VT 05201
Phone: 802-447-5506 | Fax: 802-440-8205

FAX COVER LETTER

The accompanying information is intended for the individual(s) identified below. If you have received this information in error, please immediately notify the sender by telephone to arrange for the return of the documents.

| | |
|-------------------------------|---------------------------------------|
| TO: | DATE: |
| FROM: MEDICAL INFUSION CENTER | PHONE: 802-447-5506 FAX: 802-440-8205 |
| PATIENT: | DOB: |

SURGERY TYPE: _____ SURGERY DATE:: _____

surgeon: _____ anesthesia eval date: _____

.....
of pages(including cover) _____

☐ FOR REVIEW ☐ Please Reply ☐ Please FAX

INFUSION COMMENTS:

SVMC medical staff membership is no longer required to order infusions @ SVMC. That said, we require the following be completed by ordering office to coordinate patient:

- Prior authorization completion
- Infusion order (Copy provided)- good for 6 months-and most recent office note with med list
- Patient scheduling (patients are NOT allowed to book themselves) Scheduling # 802-447-5542
- If establishing a new patient, scheduling will contact office to book once forms are verified.
- Fax all forms to MIC unit, fax #802-440-8205
- Send contact information for provider

Confidentiality Statement

The document accompanying this transmission may contain confidential information belonging to the sender which is legally privileged and protected by law. If you are not the intended recipient, you are hereby notified that any reading, disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. Violators may be prosecuted. **If you have received this communication in error, please notify the sender immediately by telephone at the above listed number.**